

A woman with long dark hair in a ponytail is shown in profile, looking towards the left. She is wearing a grey and black sports bra with orange accents and black leggings with orange stripes. She is seated on a gym machine, holding two silver handles connected by a metal bar. The background is dark with some gym equipment visible. The overall color scheme is dark with orange and white accents.

Athletic

BEST FOR LIFE

HOME USE CATALOG



INDEX

ABOUT US



04

**INDUSTRIAL
PLANT**



06

**PRODUCTION
AND TECHNOLOGY**



08

WHY ATHLETIC



10

ATHLETIC



12

TREADMILLS
ELLIPTICALS AND BICYCLES
SPINNING BIKES
HOME GYM
BENCHES AND OTHERS

TECNOFITNESS



48

TREADMILLS
ELLIPTICALS AND BICYCLES
SPINNING BIKES
HOME GYM
BENCHES



ABOUT US

33 YEARS WITH PLENTY OF ENERGY TO REINVENT, DEVELOP AND BREAK BOUNDARIES

In order to be present in all environments related to physical activity, Athletic reaches 33 years with plenty of energy to achieve the highest levels.

ENERGY AND MOOD TO GO BEYOND

The human body and its incredible potential to overcome was always the biggest motivation for Athletic to develop itself throughout its history!


We are Athletic, the main Latin American producer of fitness equipment. The strength gained over 33 years of experience, is associated with the commitments to the customer and innovation, make Athletic highlighted on residential and professional use equipment.

The history is based on our industry experience, commercial and quality services to the customer, either in Brazil or in other many countries. Founded on July 10th, 1986 in the city of Joinville, Santa Catarina (Brazil), the company has been improving year by year to become the reference in its field and lead its segment in many countries.






With the vision to be present in all environments related to physical activity, in the same year of its foundation, Athletic began to construct the commercial area, starting with a call center and then door-to-door sales, Athletic has established a closer relationship with final customers. The company has also added B2B, corporate, e-commerce and market place department. And finally, the company started its activities in the international market.





INDUSTRIAL PLANT



With its head office in Joinville, Brazil, Athletic operates its own factories and establishes partnership for the production of fitness equipments, weights and accessories, motors and controller over the years.

It began with the production and sale of home use products, and then expanded to equipments for hotels, condominiums, and a complete commercial line finally.

In its portfolio, besides products with Athletic brand, the company also created some other brands: Act! and Tecnofitness. Some years ago, the company started the production of third-party brands (OEM) .

The Company was built not only committed to offer a complete portfolio of products, but also services. The company always takes care of aftersales. Athletic has a full service network and an inventory of parts to meet the demands in warranty and out of warranty.

With a solid structure, investing heavily in technology and logistics, Athletic innovated solutions to its customers, either beginners or professionals. Our equipments quickly won the sympathy of millions of consumers around the world, becoming synonymous of usability, durability and well-being. Regarding sustainability, the company has acted and acts as follows:

Social activities, creating a healthy work environment, social inclusion, ideas program, labor gymnastics, free gym for employees, etc.


Economic, with production and trade of its products with a fair competitive relationship against its competitors;

Environmental, always adapted to the current law and one of the few companies in the fitness segment to promote employment and income in the heart of the Rain Forest, with its factory in Manaus, Brazil.

Today, 33 years later, our trading platform linked to technological development capacity, production and strong brands, bring new products to homes, hotels, clubs, gyms, etc., all over the world. Products distributed in our own stores and more than 10,000 sales points.

A success history that is being built every day with our suppliers, with the society, with our team of professionals and our customers that translate our values around the world.





PRODUCTION AND *TECHNOLOGY*



The quality standard that Athletic conquered and consolidated in the market is because of technological developments in the production of fitness equipment and its components. The use of technology allows the company to offer the products with more highlights, more quality, competitive price and attractive design for the customers.



The technological advance, however, usually does not occur easily for any company. A lot of effort is required to be constantly updated to follow and incorporate the evolution of technology at the industrial processes. Athletic has been constantly attending trade shows either in Brazil or out of the country, also investing in partnership with machinery and materials suppliers.



Besides seeking technology where it is created, Athletic also invests in product development. We have a development team with great experience and knowledge in DC motors, monitors and controllers for treadmills and other products, and equipment such as multigyms, bikes and elliptical bikes.





When it comes to investment, Athletic invests in staff, new processes, laboratories and new products. It is part of the company strategic plan to maintain investment in technology, to consolidate the brand as the leader in its segment.

Disposing of methods, equipment and quality services, Athletic has a wide network of partnerships with domestic suppliers and suppliers in China and the United States. We prioritize the use of local materials and services, but globalization requires us to seek better options when is required.

Besides the materials purchased from suppliers, Athletic practices a vertical production, manufacturing the main components of its products. Today, most of the components and parts are produced by ourselves.


TECHNOLOGY






WHY ATHLETIC

Our concept of work applied to all of our current distributors, goes far beyond a seasonal sale. We offer our distributors what we call the Athletic benefit package. **This benefit package is primarily intended to assist the entire process of sell-in and sell-out and consequently to assist on the final customer's purchase decision:**





- **Predefined Lay Out - Private Label or Third Part Specialized marketing team dedicated to assist all process of face-lifting using a private label, or using our ready-made models of our already consolidated brands (Athletic / Tecnofitness).**

- *Often training program in loco with our expert*

- *Constant marketing investment*

- *Low MOQ and high mixing in the same container*

- *24-hour support staff for any operational information*

- *Warranty taken seriously with spare parts available for sale / warranty up to 5 years after discontinuation of a model*

- *Free spare parts chosen by customer on every purchase*

- *Free HD material available*



TREADMILLS

TREADMILLS

TREADMILLS



3660T

03590 - 110V
03591 - 220V



- DC Motor 2.5HP
- Speed 1-20km/h
- Incline Automatic 15 levels
- Exercise surface 1450x510mm
- Belt size 3040x510 - T1.8mm
- Deck HDF (High Density Fiber) - 1345x706 - T21mm
- Monitor LCD with 36 pre-set programs
- Functions Speed, time, incline, distance, calories, pulse and body fat
- Max user weight 140kg
- Equipment size (LxWxH) .. 1987x910x1376mm
- Box size (LxWxH) 2130x970x375mm
- Gross/Net weight 117/105kg

Highlights

Quick speed and incline button on monitor and handle bar / Soft drop
Optionals: Colling fan, MP3 socket and 2 built-in speaker, HRC and built-in receiver.

3290T

03386 - 110V
03387 - 220V

Highlights

Quick speed and incline button on monitor and handle bar / MP3 socket and 2 built-in speaker / USB input / Soft drop / Display touch screen













- DC Motor 2HP
- Speed 1-18km/h
- Incline Automatic 15 levels
- Exercise surface 1400x500mm
- Belt size 2900x500 - T1.6mm
- Deck HDF (High Density Fiber) - 1220x630 - T18mm
- Monitor TFT with 36 pre-set programs
- Functions Speed, time, incline, distance, calories, pulse and body fat
- Max user weight 130kg
- Equipment size (LxWxH) .. 860x1740x1400mm
- Box size (LxWxH) 890x1910x375mm
- Gross/Net weight 104/95kg



3260T

03592 - 110V
03593 - 220V



	DC Motor	2HP
	Speed	1-18km/h
	Incline	Automatic 15 levels
	Exercise surface	1400x480mm
	Belt size	2900x480 - T1.6mm
	Deck	HDF (High Density Fiber) - 1220x620 - T18mm
	Monitor	LCD with 36 pre-set programs
	Functions	Speed, time, incline, distance, calories, pulse and body fat
	Max user weight	130kg
	Equipment size (LxWxH) ..	1824x830x1339mm
	Box size (LxWxH)	1995x890x330mm
	Gross/Net weight	95/85kg

Highlights













Quick speed and incline button on monitor and handle bar / Soft drop / Optionals: Colling fan, MP3 socket and 2 built-in speaker, HRC and built-in receiver.

1060T

03594 - 110V
03595 - 220V

Highlights

Quick speed and incline button on monitor and handle bar / Soft drop / Optionals: Colling fan, MP3 socket and 2 built-in speaker, HRC and built-in receiver.

	DC Motor	2HP
	Speed	1-16km/h
	Incline	Automatic 12 levels
	Exercise surface	1335x450mm
	Belt size	2750x450 - T1.6mm
	Deck	HDF (High Density Fiber) - 1250x584 - T18mm
	Monitor	LCD with 36 pre-set programs
	Functions	Speed, time, incline, distance, calories, pulse and body fat
	Max user weight	130kg
	Equipment size (LxWxH) ..	1681x758x1615mm
	Box size (LxWxH)	1860x820x295mm
	Gross/Net weight	75/67kg



Athletic
BEST FOR LIFE



790T

03388 - 110V
03389 - 220V



Highlights

Quick speed and incline button on monitor and handle bar / MP3 socket and 2 built-in speaker / Soft drop

	DC Motor	1.75HP
	Speed	1-16km/h
	Incline	Automatic 12 levels
	Exercise surface	1330x450mm
	Belt size	2760x450 - T1.4mm
	Deck	HDF (High Density Fiber) - 1250x584 - T18mm
	Monitor	LCD with 40 pre-set programs
	Functions	Speed, time, incline, distance, calories, pulse and body fat
	Max user weight	120kg
	Equipment size (LxWxH) ..	750x1670x1360mm
	Box size (LxWxH)	795x1760x370mm
	Gross/Net weight	73/65kg

580T

03711 - 110V
03712 - 220V

Highlights

Quick speed and incline button on monitor and handle bar / MP3 socket and 2 built-in speaker / USB input / Soft drop

	DC Motor	1.5HP
	Speed	1-16km/h
	Incline	2 levels or incline 12 levels
	Exercise surface	1200x420mm
	Belt size	2555x420 - T1.4mm
	Deck	MDF (Medium Density Fiber) 1145x584 - T18mm
	Monitor	LCD with 16 pre-set programs
	Functions	Speed, time, incline, distance, calories, pulse and body fat
	Max user weight	120kg
	Equipment size (LxWxH) ..	1590x715x1230mm
	Box size (LxWxH)	1710x750x285mm
	Gross/Net weight	47.2/40kg



560T

03604 - 110V
03605 - 220V



- DC Motor 15HP
- Speed 1-13km/h
- Incline Manual 2 levels
- Exercise surface 1220x420mm
- Belt size 2555x420 - T14mm
- Deck MDF (Medium Density Fiber) - 1145x584 - T18mm
- Monitor LCD with 12 pre-set programs
- Functions Speed, time, incline, distance, calories, pulse and body fat
- Max user weight 120kg
- Equipment size (LxWxH) .. 1590x715x1230mm
- Box size (LxWxH) 1685x770x295mm
- Gross/Net weight 62/55kg

Highlights

Quick speed on monitor and handle bar / Soft drop / Optionals: Colling fan, MP3 socket and 2 built-in speaker

530T

02920 - 110V
02921 - 220V

Highlights

Quick speed on monitor and handle bar / Soft drop

- DC Motor 2HP
- Speed 1-13km/h
- Incline Fixed 0.5% and 2.5%
- Exercise surface 1280x400mm
- Belt size 2680x400 - T14mm
- Deck MDF (Medium Density Fiber)
1180x576 - T15mm
- Monitor LCD with 12 pre-set programs
- Functions Speed, time, distance, calories and pulse
- Max user weight 120kg
- Equipment size (LxWxH) .. 1690x750x1300mm
- Box size (LxWxH) 1710x750x285mm
- Gross/Net weight 47,2/40kg



Athletic
BEST FOR LIFE















510T

03637 - 110V
03638 - 220V



Highlights

MP3 with 2 speakers / USB input / SD card input













-  DC Motor 1.5HP
-  Speed 1-12km/h
-  Incline Manual 3 levels
-  Exercise surface 1200x400mm
-  Belt size 2580x400 - T1.6mm
-  Deck MDF (Medium Density Fiber)
1130x500 - T15mm
-  Monitor LCD with 12 pre-set programs
-  Functions Speed, time, distance and calories
-  Max user weight 120kg
-  Equipment size (LxWxH) .. 1560x690x1240mm
-  Box size (LxWxH) 1630x730x280mm
-  Gross/Net weight 49/44kg

420T

03606 - 110V
03607 - 220V

Highlights

MP3 with 2 speakers / USB input / Pad holder

-  DC Motor 1.5HP
-  Speed 1-12km/h
-  Incline Manual 2 levels
-  Exercise surface 1100x400mm
-  Belt size 2255x400 - T1.4mm
-  Deck MDF (Medium Density Fiber)
1000x485 - T12mm
-  Monitor LCD with 12 pre-set programs
-  Functions Speed, time, distance and calories
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1380x660x1240mm
-  Box size (LxWxH) 1520x720x290mm
-  Gross/Net weight 38/32kg



410T

03349 - 110V
03301 - 220V



Highlights

Quick speed on monitor and handle bar

	DC Motor	1HP
	Speed	1-12km/h
	Incline	Fixed
	Exercise surface	1000x380mm
	Belt size	2317x380 - T1.5mm
	Deck	MDF (Medium Density Fiber) 980x500 T12mm
	Monitor	LCD with 12 pre-set programs
	Functions	Speed, time, distance, calories and pulse
	Max user weight	120kg
	Equipment size (LxWxH) ..	1385x630x1176mm
	Box size (LxWxH)	1350x640x235mm
	Gross/Net weight	29/25kg

390T

02645 - 110V
02646 - 220V

Highlights

Quick speed on monitor and handle bar

	DC Motor	1.5HP
	Speed	0.8-12km/h
	Incline	Manual 3 levels
	Exercise surface	1090x395mm
	Belt size	2255x400 - T1.4mm
	Deck	MDF (Medium Density Fiber) 1000x485 - T12mm
	Monitor	LCD with 12 pre-set programs
	Functions	Speed, time, distance, calories and pulse
	Max user weight	110kg
	Equipment size (LxWxH) ..	1490x640x1300mm
	Box size (LxWxH)	1420x270x685mm
	Gross/Net weight	31/28kg



Athletic
BEST FOR LIFE



22T

03610 - 110V
03611 - 220V



Highlights
Soft drop

	DC Motor	1HP
	Speed	1-10km/h
	Incline	Manual 3 levels
	Exercise surface	1000x360mm
	Belt size	2115x360 - T14mm
	Deck	MDF (Medium Density Fiber) 892x442 - T12mm
	Monitor	LCD with 12 pre-set programs
	Functions	Speed, time, distance and calories
	Max user weight	110kg
	Equipment size (LxWxH) ..	1290x620x1240mm
	Box size (LxWxH)	1360x650x280mm
	Gross/Net weight	37/36kg

Athletic
BEST FOR LIFE

20T

03348 - 110V
03300 - 220V













Highlights
Quick speed on monitor and handle bar

	DC Motor	1HP
	Speed	1-12km/h
	Incline	No
	Exercise surface	900x380mm
	Belt size	2075x380 - T15mm
	Deck	MDF (Medium Density Fiber) 880x500 - T12mm
	Monitor	LCD with 12 pre-set programs
	Functions	Speed, time, distance, calories and pulse
	Max user weight	120kg
	Equipment size (LxWxH) ..	1235x630x1280mm
	Box size (LxWxH)	1250x640x235mm
	Gross/Net weight	28/24kg



16T

02643 - 110V
02644 - 220V

-  DC Motor 1HP
-  Speed 1-10km/h
-  Incline Fixed
-  Exercise surface 960x360mm
-  Belt size 2075x360 - T1.4mm
-  Deck MDF (Medium Density Fiber)
880x425 - T12mm
-  Monitor LED with 3 pre-set programs
-  Functions Speed, time, distance and calories
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1250x615x1150mm
-  Box size (LxWxH) 1300x645x270mm
-  Gross/Net weight 26/23kg















Highlights

Pad holder / Lateral protection bars



SAFE WALKING 2020

03713 - 110V
03714 - 220V

-  DC Motor 1HP
-  Speed 0.5-10km/h
-  Incline Manual 3 levels
-  Exercise surface 1000x360 mm
-  Belt size 2120x340 - T1.4mm
-  Deck HDF (High Density Fiber)
892x442 - T12mm
-  Monitor LCD with 6 pre-set programs
-  Functions Speed, time, distance and calories
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1020x500x1120 mm
-  Box size (LxWxH) 1290x265x640mm
-  Gross/Net weight 27.2/24.3kg













Highlights

Remote control / Flat treadmill



DESK FIT DF200

02643 - 110V
02644 - 220V

-  DC Motor 0.5HP
-  Speed 0.5-6km/h
-  Incline No
-  Exercise surface 1200x400mm
-  Belt size 2520x450 - T1.4mm
-  Deck MDF (Medium Density Fiber)
1120x560 - T12mm
-  Monitor LED with 12 pre-set programs
-  Functions Speed, time and distance
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1457x610x1170mm
-  Box size (LxWxH) 1470x685x275mm
-  Gross/Net weight 36/31kg

Athletic
BEST FOR LIFE





BICYCLES

ELLIPTICALS AND BICYCLES









ELLIPTICALS



650EFD

3660



-  Flywheel 8kg
-  Functions Time, distance, speed, pulse, calories, RPM, temperature, body fat and recovery
-  Resistance 15 levels
-  Transmission Automatic
-  Max user weight 150kg
-  Equipment size (LxWxH) .. 2040x670x1710mm
-  Box size (LxWxH) 1495x435x810mm
-  Gross/Net weight 78/68kg

Highlights

Front drive wheel









600EFD

3661



Highlights

Front drive wheel

-  Flywheel 5kg
-  Functions Time, distance, speed, pulse, calories, RPM, recovery, ODO and watt
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1440x620x1700mm
-  Box size (LxWxH) 1050x450x690mm
-  Gross/Net weight 49/43.5kg

Athletic
BEST FOR LIFE











570E

3581



Athletic
BEST FOR LIFE

-  Flywheel 6kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 130kg
-  Equipment size (LxWxH) .. 1650x660x1530mm
-  Box size (LxWxH) 1400x370x580mm
-  Gross/Net weight 52.5/45.5kg

Highlights









Flywheel with 3 pcs crank

570BV

03580

Highlights

Vertical and horizontal seat adjustment / Flywheel with 3 pcs crank









-  Flywheel 6kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 130kg
-  Equipment size (LxWxH) .. 1425x520x1090mm
-  Box size (LxWxH) 950x320x650mm
-  Gross/Net weight 39/35kg



500EFD

3718



-  Flywheel 5kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 130kg
-  Equipment size (LxWxH) .. 1655x680x1730mm
-  Box size (LxWxH) 1100x380x680mm
-  Gross/Net weight 53/47kg

Highlights









Flywheel with 3 pcs crank


500EA

03584

Highlights

With adjustable seat









-  Flywheel 5kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1550x620x1290mm
-  Box size (LxWxH) 1110x370x585mm
-  Gross/Net weight 42/36.9kg



500E

03583











-  Flywheel 5kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1550x620x1290mm
-  Box size (LxWxH) 1110x370x550mm
-  Gross/Net weight 40/35.4kg

500BH

03585

Highlights

Horizontal adjustment seat

-  Flywheel 5kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1135x665x1455mm
-  Box size (LxWxH) 900x380x650mm
-  Gross/Net weight 38.3/33.6kg











500BV

03582



Highlights

Vertical and horizontal seat adjustment

-  Flywheel 5kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1325x520x970mm
-  Box size (LxWxH) 840x300x630mm
-  Gross/Net weight 30.7/27.8kg



290EA

03412

Highlights

With adjustable seat



- Flywheel 4kg
- Functions Time, distance, speed, pulse and calories
- Resistance 8 levels
- Transmission Manual
- Max user weight 110kg
- Equipment size (LxWxH) .. 1550x620x1290mm
- Box size (LxWxH) 1110x370x610mm
- Gross/Net weight 43.3/38.8kg



290EFD

03719

Highlights

Flywheel with 3 pcs crank

- Flywheel 4kg
- Functions Time, distance, speed, pulse and calories
- Resistance 8 levels
- Transmission Manual
- Max user weight 110kg
- Equipment size (LxWxH) .. 1655x680x1730mm
- Box size (LxWxH) 1100x380x680mm
- Gross/Net weight 53/47kg



290E

03411

- Flywheel 4kg
- Functions Time, distance, speed, pulse and calories
- Resistance 8 levels
- Transmission Manual
- Max user weight 110kg
- Equipment size (LxWxH) .. 1290x620x1550mm
- Box size (LxWxH) 1110x370x550mm
- Gross/Net weight 40.3/35.5kg



Athletic
BEST FOR LIFE



290BV









03410

Athletic
BEST FOR LIFE



Highlights

Vertical and horizontal seat adjustment









-  Flywheel 4kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 960x520x1320mm
-  Box size (LxWxH) 920x285x590mm
-  Gross/Net weight 29,3/26,4kg

290BH

03413

Highlights

Horizontal adjustment seat









-  Flywheel 4kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1455x665x1135mm
-  Box size (LxWxH) 900x380x650mm
-  Gross/Net weight 36,6/32,5kg



230EA

03278



-  Flywheel 4kg
-  Functions Time, distance, speed, pulse and
-  Resistance calories
-  Transmission 8 levels
-  Max user weight Manual
-  Equipment size (LxWxH) .. 110kg
-  Box size (LxWxH) 1100x580x1600mm
-  Gross/Net weight 1010x280x565mm
33.5/30kg









Highlights


With adjustable seat

230E

02931










-  Flywheel 4kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1550x500x2100mm
-  Box size (LxWxH) 1010x280x525mm
-  Gross/Net weight 27/25kg



230BV

02929









Athletic
BEST FOR LIFE

-  Flywheel 4kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 900x520x1250mm
-  Box size (LxWxH) 700x280x560mm
-  Gross/Net weight 22.5kg/20kg



230BH

02930

-  Flywheel 4kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1400x570x920mm
-  Box size (LxWxH) 800x320x580mm
-  Gross/Net weight 25/22.5kg








14E

03516



Highlights

Horizontal adjustment seat

-  Flywheel 2kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance Belt tension control
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 2100x500x1550mm
-  Box size (LxWxH) 980x225x700mm
660x425x215mm
310x90x470mm
365x225x560mm
-  Gross/Net weight 59.4/55.2kg









12E

03517



Highlights

Twister / Stepper

-  Flywheel 7kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance Friction control
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 2100x500x1550mm
-  Box size (LxWxH) 980x225x700mm
530x330x240mm
-  Gross/Net weight 53.5/49.5kg









Highlights

Horizontal adjustment seat

10E

03519



-  Flywheel 7kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance Friction control
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1750x650x1530mm
-  Box size (LxWxH) (2x) 950x235x680
-  Gross/Net weight 48/42kg











8E

03393











Highlights

Stepper / Twister / With a pair of 2kg and 3kg PVC dumbbell

-  Flywheel Fan wheel
-  Functions Time, distance, speed, pulse and calories
-  Resistance Belt tension control
-  Transmission Manual
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1500x640x1450mm
-  Box size (LxWxH) 980x225x700mm
530x330x240mm
-  Gross/Net weight 44.5/41.5kg

6E

03520

-  Flywheel 7kg
-  Functions Time, distance, speed, pulse and calories
-  Resistance Friction control
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1100x500x1550mm
-  Box size (LxWxH) 980x225x780mm
-  Gross/Net weight 36.5/34.5kg



Highlights

With a pair of 2kg and 3kg PVC dumbbell









2E

02917



Highlights

Twister / With a pair of 2kg and 3kg PVC dumbbell









-  Flywheel Fan wheel
-  Functions Time, distance, speed, pulse and calories
-  Resistance Belt tension control
-  Transmission Manual
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1500x640x1450mm
-  Box size (LxWxH) 990x220x710mm
270x70x470mm
-  Gross/Net weight 37/34kg



7E









03522



-  Flywheel 7kg
-  Functions Time, distance, speed and calories
-  Resistance Friction control
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 860x480x1480mm
-  Box size (LxWxH) 925x230x665mm
-  Gross/Net weight 31/28,5kg

3.5E

02918

-  Flywheel Fan wheel
-  Functions Time, distance, speed and calories
-  Resistance Belt tension control
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1500x640x1100mm
-  Box size (LxWxH) 980x220x665mm
-  Gross/Net weight 28/26kg









Highlights
With seat



5E

02919











-  Flywheel Fan wheel
-  Functions Time, distance, speed and calories
-  Resistance Belt tension control
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1500x640x1450mm
-  Box size (LxWxH) 980x220x665mm
-  Gross/Net weight 27/25kg



100BA









03368

-  Flywheel Fan wheel
-  Functions Time, distance, speed, pulse and calories
-  Resistance Belt tension control
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1014x529x1135mm
-  Box size (LxWxH) 890x590x205mm
-  Gross/Net weight 19.5/17.5kg



80BA









03662

-  Flywheel Fan wheel
-  Functions Time, distance, speed and calories
-  Resistance Belt tension control
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1060x500x1170mm
-  Box size (LxWxH) 910x190x610mm
-  Gross/Net weight 18/16.5kg



1002XB

03525








-  Flywheel 7kg
-  Functions Time, distance, speed and calories
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1070x680x1300mm
-  Box size (LxWxH) 1320x530x230mm
-  Gross/Net weight 26.5/23.5kg




1001XB

03526











-  Flywheel 2kg
-  Functions Time, distance, speed and calories
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1100x310x1500mm
-  Box size (LxWxH) 1170x400x220mm
-  Gross/Net weight 21/19kg

Athletic
BEST FOR LIFE



100XB









03527

	Flywheel	2kg
	Functions	Time, distance, speed, pulse and calories
	Resistance	8 levels
	Transmission	Manual
	Max user weight	110kg
	Equipment size (LxWxH) ..	950x540x1140mm
	Box size (LxWxH)	1165x395x220mm
	Gross/Net weight	18.5/16.5kg



50XB








03528

	Flywheel	2kg
	Functions	Time, distance, speed and calories
	Resistance	8 levels
	Transmission	Manual
	Max user weight	100kg
	Equipment size (LxWxH) ..	850x400x1130mm
	Box size (LxWxH)	1160x395x220mm
	Gross/Net weight	16/14kg

100MB

03529









	Functions	Time, distance, speed and calories
	Resistance	Tension Control
	Transmission	Manual
	Max user weight	100kg
	Equipment size (LxWxH) ..	500x390x380mm
	Box size (LxWxH)	390x180x350mm
	Gross/Net weight	3/2,4kg

STEPPER 100SP

03409









Highlights
4 dumbbell pcs / Twister

	Functions	Time, count reps/min and calories
	Resistance	No
	Max user weight	100kg
	Equipment size (LxWxH) ..	865x440x1180mm
	Box size (LxWxH)	570x430x230mm
	Gross/Net weight	19/17,5kg

STEPPER 80SP

03523









	Functions	Time, distance, speed and calories
	Resistance	No
	Max user weight	100kg
	Equipment size (LxWxH) ..	350x235x400mm
	Box size (LxWxH)	410x265x460mm
	Gross/Net weight	10/9kg

STEPPER 50SP

03524



Highlights
With rope

	Functions	Time, distance, speed and calories
	Resistance	Tension Control
	Max user weight	100kg
	Equipment size (LxWxH) ..	1100x310x150mm
	Box size (LxWxH)	310x400x200mm
	Gross/Net weight	8,5/7,5kg










2750BS

03720

Highlights

Modern design / Belt transmission



-  Flywheel 20kg
-  Monitor Yes
-  Functions Scan, time, speed, distance, calories, RPM and THR pulse
-  Resistance Friction control
-  Transmission Belt
-  Max user weight 150kg
-  Equipment size (LxWxH) .. 1260x550x1220mm
-  Box size (LxWxH) 1060x215x860mm
-  Gross/Net weight 61,5/56,5kg












2600BS

02666

Highlights

Best seller / 20kg flywheel

-  Flywheel 20kg
-  Monitor Yes
-  Functions Scan, time, speed, distance, calories, RPM and THR pulse
-  Resistance Friction control
-  Transmission Belt
-  Max user weight 135kg
-  Equipment size (LxWxH) .. 1260x550x1220mm
-  Box size (LxWxH) 1100x230x865mm
-  Gross/Net weight 52/47kg












2100BS

03721

Highlights

Vertical and horizontal seat adjustment

-  Flywheel 18kg
-  Monitor Yes
-  Functions Scan, time, speed, distance and calories
-  Resistance Friction control
-  Transmission Chain
-  Max user weight 125kg
-  Equipment size (LxWxH) .. 1270x510x1120mm
-  Box size (LxWxH) 1080x195x830mm
-  Gross/Net weight 46/41kg



Athletic
BEST FOR LIFE












700BS

02635

Highlights

Complete monitor / 125kg user weight

-  Flywheel 13kg
-  Monitor Yes
-  Functions Scan, time, speed, distance and calories
-  Resistance Friction control
-  Transmission Chain
-  Max user weight 125kg
-  Equipment size (LxWxH) .. 1270x510x1120mm
-  Box size (LxWxH) 1080x195x830mm
-  Gross/Net weight 37.5/33kg




550BS

03722

Highlights

Vertical and horizontal seat adjustment

-  Flywheel 6kg
-  Monitor Yes
-  Functions Scan, time, speed, distance and calories
-  Resistance Friction control
-  Transmission Belt
-  Max user weight 125kg
-  Equipment size (LxWxH) .. 1270x510x1120mm
-  Box size (LxWxH) 1025x195x830mm
-  Gross/Net weight 34/30kg











400BS

03394

Highlights

Best buy / 13kg flywheel

-  Flywheel 13kg
-  Monitor No
-  Resistance Friction control
-  Transmission Chain
-  Max user weight 125kg
-  Equipment size (LxWxH) .. 1147x508x1130mm
-  Box size (LxWxH) 1080x195x830mm
-  Gross/Net weight 37.5/33kg













2100MS

03418







-  Weight stack (2x) 100kg
-  Main tube 80x40x2.0mm
-  Max user weight 150kg
-  Equipment size (LxWxH) .. 1610x990x2200mm
-  Box size (LxWxH) 2250x1020x200mm
2250x1020x200mm
(9x) 390x200x180mm
-  Gross/Net weight 420/343kg

Highlights

Over 50 different exercises /
2x 100kg weight stack

2100M

02964

-  Weight stack 100kg
-  Main tube 80x40 - T2.5mm
-  Max user weight 150kg
-  Equipment size (LxWxH) .. 1650x1645x2115mm
-  Box size (LxWxH) 1170x930x240mm;
1955x275x175mm;
(6x) 400x220x140mm
-  Gross/Net weight 187/174kg

Highlights







2 work stations / Biceps pad / Nylon weight
stack cover / Independent and flexible arms





1600MB

03618







-  Weight stack 65kg
-  Main tube 50x50 - T2.0mm
-  Max user weight 120kg
-  Equipment size (LxWxH) .. 2140x2290x2115mm
-  Box size (LxWxH) 1955x225x175mm
1360x450x215mm
1045x455x220mm
1010x300x300mm
405x285x210mm
395x255x210mm
-  Gross/Net weight 151/143.5kg

Highlights

Independent and flexible arms / Biceps pad / Steel weight stack cover

1200M

03620

-  Weight stack 65kg
-  Main tube 70x30 - T1.5mm
-  Max user weight 120kg
-  Equipment size (LxWxH) .. 1765x1800x2090mm
-  Box size (LxWxH) 1960x405x150mm
1130x515x195mm
1265x365x225mm
390x210x230mm
390x210x275mm
-  Gross/Net weight 127.5/121.5kg

Highlights

VKR / Biceps pad / Steel weight stack cover





490M

03392

- Weight stack 100kg
- Main tube 80x40x2.0mm
- Max user weight 150kg
- Equipment size (LxWxH) .. 1660x990x2115mm
- Box size (LxWxH) 1170x930x175mm
1955x275x175mm
(4x) 400x220x140mm
- Gross/Net weight 118/110kg

Highlights

Independent and flexible arms / Biceps pad / Nylon weight stack cover

480M

03621

- Weight stack 65kg
- Main tube 70x50 - T1.5mm
- Max user weight 120kg
- Equipment size (LxWxH) .. 1490x1100x2100mm
- Box size (LxWxH) 1770x510x250mm
385x195x235mm
385x195x275mm
- Gross/Net weight 133.6/128kg

Highlights







Biceps pad / Outer steel weight stack cover





470m

02731







-  Weight stack 65kg
-  Main tube 80x40 - T1.5mm
-  Max user weight 150kg
-  Equipment size (LxWxH) .. 1600x975x2115mm
-  Box size (LxWxH) 1170x930x175mm
1955x275x175mm
(4X) 390x200x135mm
-  Gross/Net weight 118/110kg

Highlights

Independent and flexible arms / Biceps pad / Nylon weight stack cover

440m


03619

-  Weight stack 50kg
-  Main tube ø60 - T1.5mm
-  Max user weight 120kg
-  Equipment size (LxWxH) .. 1685x1080x2210mm
-  Box size (LxWxH) 1195x535x205 mm
1840x480x210mm
400x200x220mm
400x200x280mm
-  Gross/Net weight 97/93kg

Highlights

Biceps pad / Nylon weight stack cover











420m

03627









Highlights
Biceps pad

-  Weight stack 50kg
-  Main tube 50x50 - T1.5mm
-  Max user weight 120kg
-  Equipment size (LxWxH) .. 1220x1100x2050mm
-  Box size (LxWxH) 1920x430x170mm
385x195x235mm
385x195x275mm
-  Gross/Net weight 96/91.4kg

380m

03633









-  Weight stack 45kg
-  Main tube 38x38 - T1.5mm
-  Max user weight 120kg
-  Equipment size (LxWxH) .. 1200x1060x2040mm
-  Box size (LxWxH) 1890x420x170mm
385x195x275mm
385x195x235mm
-  Gross/Net weight 86/81.4kg

90m

03635









-  Weight stack Plate loaded
(weights not included)
-  Main tube 50x50 - T1.5mm
-  Max user weight 120kg
-  Equipment size (LxWxH) .. 1220x1080x1905mm
-  Box size (LxWxH) 1670x340x135mm
830x405x130mm
-  Gross/Net weight 23,5/22kg





WEIGHT BENCH WITH VKR 200M

03624

-  Weight stack Plate loaded
(weights not included)
-  Main tube 80x40 - T2.0mm
-  Max user weight 120kg
-  Equipment size (LxWxH) .. 2410x1200x2055mm
-  Box size (LxWxH) 2090x550x130mm
1110x520x210mm
-  Gross/Net weight 74/70kg

Highlights

Biceps pad / High pulley

WEIGHT BENCH WITH VKR 100M

03625


-  Weight stack Plate loaded
(weights not included)
-  Main tube 50x50 - T2.0mm
-  Max user weight 120kg
-  Equipment size (LxWxH) .. 2230x1070x2050mm
-  Box size (LxWxH) 1800x460x210mm
2110x390x100mm
-  Gross/Net weight 68/64kg

Highlights

Biceps pad / High pulley







Athletic
BEST FOR LIFE



ARM WEIGHT BENCH 170

03641



-  Max user weight 120kg
-  Equipment size (LxWxH) .. 1420x1250x1110mm
-  Box size (LxWxH) 1170x420x150mm
-  Gross/Net weight 19/17kg

Highlights

Steel weight plates (2x2.5kg, 2x5kg, 2x10kg)
+ 1200mm regular threaded bar





Highlights

Cement weight plates (2x2.5kg, 2x5kg, 2x10kg) + 1200mm regular threaded bar



ARM WEIGHT BENCH 150





03642

-  Max user weight 120kg
-  Equipment size (LxWxH) .. 1420x1250x1110mm
-  Box size (LxWxH) 1170x420x150mm
-  Gross/Net weight 19/17kg

ARM WEIGHT BENCH 100

03546



-  Max user weight 120kg
-  Equipment size (LxWxH) .. 1420x1250x1110mm
-  Box size (LxWxH) 1170x420x150mm
-  Gross/Net weight 19/17kg









CURVE SIT UP BENCH 100

02936



-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1370x600x680mm
-  Box size (LxWxH) 1200x215x340mm
-  Gross/Net weight 13,6/11,8kg





Highlights

With elastic bands / With a pair of 2kg dumbbells

SIT UP BENCH 100

02935







-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1370x330x670mm
-  Box size (LxWxH) 1230x130x345mm
-  Gross/Net weight 8/6,9kg

INVERSION TABLE 100IT

03530







-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1230x700x1490mm
-  Box size (LxWxH) 1300x565x130mm
-  Gross/Net weight 26,5/23,5kg

ABDOMINAL 600AB

02939






-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1270x670x1260mm
-  Box size (LxWxH) 1275x380x380mm
-  Gross/Net weight 25/23kg

ABDOMINAL 300AB


03533



-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1100x200x200mm
-  Box size (LxWxH) 1100x200x200mm
-  Gross/Net weight 12/11kg

Highlights

Horizontal adjustable seat / Monitor is optional



ABDOMINAL 200AB

03249



- Max user weight 100kg
- Equipment size (LxWxH) .. 850x450x1200mm
- Box size (LxWxH) 1230x130x345mm
- Gross/Net weight 11.5/10.5kg

ABDOMINAL 100AB

03534



- Max user weight 100kg
- Equipment size (LxWxH) .. 1140x550x750mm
- Box size (LxWxH) 1050x140x350mm
- Gross/Net weight 11/10kg

ABDOMINAL 50AB

03535



- Max user weight 100kg
- Equipment size (LxWxH) .. 1120x540x750mm
- Box size (LxWxH) 980x375x165mm
- Gross/Net weight 12/10kg

Highlights
With monitor

ABDOMINAL 5AB

03536



- Max user weight 100kg
- Equipment size (LxWxH) .. 560x600x660mm
- Box size (LxWxH) 640x220x360mm
(2 units per carton)
- Gross/Net weight 15/14.5kg

ROWER 100RM

03385



- Max user weight 120kg
- Equipment size (LxWxH) .. 1975x520x445mm
- Box size (LxWxH) 1070x280x465mm
- Gross/Net weight 27/24kg

Highlights

Flywheel 4kg / 10 manual tension levels / Magnetic resistance / Optional aluminium frame





Tecnofitness
SMART PERFORMANCE

SMART PERF



#meets

PERFORMANCE

















TREADMILLS
TREADMILLS
TREADMILLS

TP1830

03723 - 110V
03724 - 220V



	DC Motor	1.5HP
	Speed	1-16km/h
	Incline	Manual 2 levels
	Exercise surface	1200x420mm
	Belt size	2460x410 - T1.4mm
	Deck	MDF (Medium Density Fiber) 1100x564 - T18mm
	Monitor	Display LCD with 12 pre-set programs
	Functions	Speed, time, distance, calories, pulse and body fat
	Max user weight	120kg
	Equipment size (LxWxH) ..	1545x740x1245mm
	Box size (LxWxH)	1650x770x305mm
	Gross/Net weight	57/49kg













Highlights

Quick speed and incline button on monitor and handle bar / Soft drop

TP930

03705 - 110V



	DC Motor	1.25HP
	Speed	0.8-12km/h
	Incline	Manual 3 levels
	Exercise surface	1200x450mm
	Belt size	2550x430 - T1.6mm
	Deck	MDF (Medium Density Fiber) 1127x596 - T12mm
	Monitor	Display LCD with 12 pre-set programs
	Functions	Speed, time, distance, calories, pulse and body fat
	Max user weight	100kg
	Equipment size (LxWxH) ..	1540x720x1290mm
	Box size (LxWxH)	1585x750x260mm
	Gross/Net weight	52/46kg

Highlights













Quick speed on monitor and handle bar / MP3 / USB input / Soft Drop



TP920

03706 - 110V



	DC Motor	125HP
	Speed	0.8-12km/h
	Incline	Manual 3 levels
	Exercise surface	1200x430mm
	Belt size	2550x430 - T1.6mm
	Deck	MDF (Medium Density Fiber) 1127x596 - T12mm
	Monitor	Display LCD with 12 pre-set programs
	Functions	Speed, time, distance, calories, pulse and body fat
	Max user weight	100kg
	Equipment size (LxWxH) ..	1538x710x1243mm
	Box size (LxWxH)	1585x750x260mm
	Gross/Net weight	51/45kg













Highlights

Quick speed on monitor and handle bar / MP3 / USB input / Soft Drop

TP910

03707 - 110V



	DC Motor	125HP
	Speed	0.8-12km/h
	Incline	No
	Exercise surface	1200x400mm
	Belt size	2550x400 - T1.6mm
	Deck	MDF (Medium Density Fiber) 1180x576 - T15mm
	Monitor	Display LCD with 12 pre-set programs
	Functions	Speed, time, distance, calories, pulse and body fat
	Max user weight	100kg
	Equipment size (LxWxH) ..	1425x765x1156mm
	Box size (LxWxH)	1510x690x195mm
	Gross/Net weight	48/43kg

Highlights

Quick speed on monitor and handle bar / MP3 / USB input



TP850

02721 - 110V
02722 - 220V















Highlights

Quick speed on monitor and handle bar / Soft drop















Tecnofitness
SMART PERFORMANCE

	DC Motor	2HP
	Speed	1-13km/h
	Incline	Manual 2 levels
	Exercise surface	1280x400mm
	Belt size	2680x400 - T1.4mm
	Deck	MDF (Medium Density Fiber) 1180x576 - T15mm
	Monitor	Display LCD with 12 pre-set programs
	Functions	Speed, time, distance, calories and pulse
	Max user weight	120kg
	Equipment size (LxWxH) ..	1690x750x1300mm
	Box size (LxWxH)	1710x750x285mm
	Gross/Net weight	47.2/40kg

TP845

03725 - 110V
03726 - 220V



	DC Motor	1.5HP
	Speed	1-12km/h
	Incline	Manual 2 levels
	Exercise surface	1200x420mm
	Belt size	2555x420 - T1.4mm
	Deck	MDF (Medium Density Fiber) 1145x584 - T18mm
	Monitor	Display LCD with 12 pre-set programs
	Functions	Speed, time, distance, calories, pulse and body fat
	Max user weight	120kg
	Equipment size (LxWxH) ..	1590x715x1230mm
	Box size (LxWxH)	1710x750x295mm
	Gross/Net weight	47.2/40kg

Highlights

Quick speed on monitor and handle bar / Soft drop



TP840

02362 - 110V
02363 - 220V



- DC Motor 1HP
- Speed 1-13km/h
- Incline Manual 2 levels
- Exercise surface 1200x420mm
- Belt size 2555x420 - T1.4mm
- Deck MDF (Medium Density Fiber)
1145x584 - T18mm
- Monitor Display LCD with 12 pre-set programs
- Functions Speed, time, distance, calories, pulse and body fat
- Max user weight 120kg
- Equipment size (LxWxH) .. 730x1590x1260mm
- Box size (LxWxH) 770x1740x325mm
- Gross/Net weight 64/56kg

Highlights

Quick speed on monitor and handle bar / Soft drop

TP820

02532 - 110V
02533 - 220V



- DC Motor 1.5HP
- Speed 1-12km/h
- Incline Manual 2 levels
- Exercise surface 1200x400mm
- Belt size 2580x400 - T1.6mm
- Deck MDF (Medium Density Fiber)
1137x565 - T15mm
- Monitor Display LCD with 12 pre-set programs
- Functions Speed, time, distance, calories and pulse
- Max user weight 120kg
- Equipment size (LxWxH) .. 1650x730x1420mm
- Box size (LxWxH) 1690x760x360mm
- Gross/Net weight 60/53kg

Highlights

Quick speed on monitor and handle bar / MP3

TP810

02530 - 110V
02531 - 220V



Highlights

Quick speed on monitor and handle bar

DC Motor	1.5HP
Speed	0.8-12km/h
Incline	Manual 3 levels
Exercise surface	1090x395mm
Belt size	2255x400 - T1.4mm
Deck	MDF (Medium Density Fiber) 1000x485 - T12mm
Monitor	Display LCD with 12 pre-set programs
Functions	Speed, time, distance, calories and pulse
Max user weight	110kg
Equipment size (LxWxH) ..	1490x640x1300mm
Box size (LxWxH)	1420x270x685mm
Gross/Net weight	31/28kg

TP730

02528 - 110V
02529 - 220V



DC Motor	1HP
Speed	1-10km/h
Incline	No
Exercise surface	960x360mm
Belt size	2075x360 - T1.4mm
Deck	MDF (Medium Density Fiber) 880x425 - T12mm
Monitor	Display LCD with 3 pre-set programs
Functions	Speed, time, distance, calories and pulse
Max user weight	110kg
Equipment size (LxWxH) ..	1250x615x1150mm
Box size (LxWxH)	1300x645x270mm
Gross/Net weight	26/23kg



ELETRONIC 15

03639 - 110V
03640 - 220V

	DC Motor	1HP
	Speed	1-10km/h
	Incline	Manual 3 levels
	Exercise surface	1000x360mm
	Belt size	2115x360 - T1.4mm
	Deck	MDF (Medium Density Fiber) 892x442 - T12mm
	Monitor	Display LCD with 12 pre-set programs
	Functions	Speed, time, distance, calories and pulse
	Max user weight	110kg
	Equipment size (LxWxH) ..	1290x620x1240mm
	Box size (LxWxH)	1360x650x280mm
	Gross/Net weight	37/36kg













Highlights

Soft drop



ELETRONIC 12













03727 - 110V
03728 - 220V

	DC Motor	0.75HP
	Speed	1-8km/h
	Incline	No
	Exercise surface	1000x320mm
	Belt size	2115x325 T1.4mm
	Deck	MDF (Medium Density Fiber) 890x395 - T12mm
	Monitor	Display LCD with 3 pre-set programs
	Functions	Speed, time, distance and calories
	Max user weight	100kg
	Equipment size (LxWxH) ..	1200x560x1170mm
	Box size (LxWxH)	1310x280x610mm
	Gross/Net weight	24/22kg



MAGNETIC T100

03369

	DC Motor	No
	Speed	Body resistance
	Incline	Manual 3 levels
	Exercise surface	1100x330mm
	Belt size	2320x330 - T1.2mm
	Deck	MDF (Medium Density Fiber) 1050x470 - T12mm
	Monitor	Display LCD with 3 pre-set programs
	Functions	Speed, time, distance, calories and pulse
	Max user weight	100kg
	Equipment size (LxWxH) ..	1480x685x1340mm
	Box size (LxWxH)	1380x580x400mm
	Gross/Net weight	28.5/26.5kg



BICYCLES

ELLIPTICALS AND BICYCLES

ELLIPTICALS













EA210

03430

Highlights

With adjustable seat











-  Flywheel 4kg
-  Functions Time, distance, calories and pulse
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1100x580x1600mm
-  Box size (LxWxH) 1010x280x565mm
-  Gross/Net weight 33.5/30kg

E210

02934











-  Flywheel 4kg
-  Functions Time, distance, calories and pulse
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1100x580x1600mm
-  Box size (LxWxH) 1010x280x525mm
-  Gross/Net weight 27/25kg

BV210

02932











-  Flywheel 4kg
-  Functions Time, distance, calories and pulse
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 900x520x1250mm
-  Box size (LxWxH) 700x280x560mm
-  Gross/Net weight 22.5kg/20kg

BH210

02933



-  Flywheel 4kg
-  Functions Time, distance, calories and pulse
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1400x570x920mm
-  Box size (LxWxH) 800x320x580mm
-  Gross/Net weight 25/22.5kg












E180

02727











-  Flywheel 3kg
-  Functions Time, distance, calories and pulse
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 900x600x1550mm
-  Box size (LxWxH) 820x250x510mm
-  Gross/Net weight 24,5/22,5kg

BV180

02729











-  Flywheel 3kg
-  Functions Time, distance, calories and pulse
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 810x440x1150mm
-  Box size (LxWxH) 595x265x475mm
-  Gross/Net weight 16/14kg

BH180

02728











-  Flywheel 3kg
-  Functions Time, distance, calories and pulse
-  Resistance 8 levels
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1250x580x800mm
-  Box size (LxWxH) 800x270x540mm
-  Gross/Net weight 22/20kg



E8

03431



-  Flywheel Fan wheel
-  Functions Time, distance, calories and pulse
-  Resistance Belt tension control
-  Transmission Manual
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1500x640x1450mm
-  Box size (LxWxH) 980x225x700mm
530x330x240mm
-  Gross/Net weight 44.5/41.5kg









Highlights

With stepper / Twister / With a pair of 2kg and 3kg dumbbells / With seat

E5

02914



-  Flywheel Fan wheel
-  Functions Time, distance, calories and pulse
-  Resistance Belt tension control
-  Transmission Manual
-  Max user weight 110kg
-  Equipment size (LxWxH) .. 1500x640x1450mm
-  Box size (LxWxH) 990x220x710mm
270x70x470mm
-  Gross/Net weight 37/34kg

Highlights

With twister / With a pair of 2kg and 3kg dumbbells / With seat













E4

02915











Highlights
With seat

-  Flywheel Fan wheel
-  Functions Time, distance and calories
-  Resistance Belt tension control
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1500x640x1100mm
-  Box size (LxWxH) 980x220x665mm
-  Gross/Net weight 28/26kg



E3









02916

-  Flywheel Fan wheel
-  Functions Time, distance and calories
-  Resistance Belt tension control
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1500x640x1450mm
-  Box size (LxWxH) 980x220x665mm
-  Gross/Net weight 27/25kg



BV160

03729






-  Flywheel No
-  Functions Time, distance and calories
-  Resistance Belt tension control
-  Transmission Manual
-  Max user weight 100kg
-  Equipment size (LxWxH) .. 840x440x1200mm
-  Box size (LxWxH) 590x250x470mm
-  Gross/Net weight 17,4/15,6kg



BS1700

02666



 Flywheel	18kg
 Monitor	Yes
 Functions	Time, speed, distance, calories and pulse
 Resistance	Manual
 Transmission	Chain
 Max user weight	125kg
 Equipment size (LxWxH) ..	1200x550x1187mm
 Box size (LxWxH)	1100x230x865mm
 Gross/Net weight	50/45kg

Highlights

18kg flywheel / Best seller

BS350

02651



 Flywheel	13kg
 Monitor	Yes
 Functions	Time, speed, distance and calories
 Resistance	Manual
 Transmission	Chain
 Max user weight	125kg
 Equipment size (LxWxH) ..	1270x510x1120mm
 Box size (LxWxH)	1080x195x830mm
 Gross/Net weight	39/34.5kg









Highlights

Seat with vertical and horizontal adjustment /
Handle with vertical adjustment

BS500

02910



 Flywheel	13kg
 Monitor	No
 Resistance	Manual
 Transmission	Chain
 Max user weight	125kg
 Equipment size (LxWxH) ..	1147x508x1130mm
 Box size (LxWxH)	1080x195x830mm
 Gross/Net weight	37.5/33kg










Highlights

13kg flywheel / 125kg user weight

BS280

03668



 Flywheel	10kg
 Monitor	Yes
 Functions	Time, speed, distance and calories
 Resistance	Manual
 Transmission	Belt
 Max user weight	110kg
 Equipment size (LxWxH) ..	1106x645x1150mm
 Box size (LxWxH)	910x195x780mm
 Gross/Net weight	30,5/26,5kg










Highlights

Belt transmission system

BA100

03432









 Flywheel	Fan wheel
 Monitor	Yes
 Functions	Time, speed, distance, calories and pulse
 Resistance	Manual
 Transmission	Belt tension control
 Max user weight	100kg
 Equipment size (LxWxH) ..	1014x529x1135mm
 Box size (LxWxH)	890x590x205mm
 Gross/Net weight	19,5/17,5kg





M175

04456







-  Weight stack 72kg
-  Main tube 50x50 - T1.5mm
-  Max user weight 150kg
-  Equipment size (LxWxH) .. 1800x800x2000mm
-  Box size (LxWxH) 1980x450x230
385x195x260
395x195x220
-  Gross/Net weight 144/138kg

Highlights

Biceps pad / Steel weigh stack cover

M170

02989

-  Weight stack 65kg
-  Main tube 80x40 - T1.5mm
-  Max user weight 150kg
-  Equipment size (LxWxH) .. 1600x975x2115mm
-  Box size (LxWxH) 1170x930x175mm
1955x275x175mm
(4x) 400x220x140mm
-  Gross/Net weight 118/110kg

Highlights







Independent arms / Biceps pad /
Nylon weight stack cover





M130







03708

-  Weight stack 45kg
-  Main tube 50x50 - T1.5mm
-  Max user weight 150kg
-  Equipment size (LxWxH) .. 1650x1100x2050mm
-  Box size (LxWxH) 190x40x18.5mm
40x19x33mm
370x190x230mm
-  Gross/Net weight 92.3/88.6kg


Highlights
Biceps pad

M90

03634

-  Weight stack 45kg
-  Main tube 38x38 - T1.5mm
-  Max user weight 120kg
-  Equipment size (LxWxH) .. 1200x1060x2040mm
-  Box size (LxWxH) 1890x420x170mm
385x195x275mm
385x195x235mm
-  Gross/Net weight 85.3/80.7kg










M40



03636






-  Weight stack Plate loaded
(weights not included)
-  Max user weight 120kg
-  Equipment size (LxWxH) .. 1220x1080x1905mm
-  Box size (LxWxH) 1670x340x135mm
830x405x130mm
-  Gross/Net weight 23,5/22kg

WEIGHT BENCH WITH VKR

03545







Highlights
Biceps pad /
High pulley

-  Weight stack Plate loaded
(weights not included)
-  Max user weight 120kg
-  Equipment size (LxWxH) .. 2230x1070x2050mm
-  Box size (LxWxH) 1800x460x210mm
2110x390x100mm
-  Gross/Net weight 68/64kg

ARM WEIGHT BENCH 80





02944



-  Max user weight 120kg
-  Equipment size (LxWxH) .. 1420x1250x1110mm
-  Box size (LxWxH) 1170x420x150mm
-  Gross/Net weight 19/17kg

CURVE SIT UP BENCH 80

02942

-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1370x600x680mm
-  Box size (LxWxH) 1200x215x340mm
-  Gross/Net weight 13,6/11,8kg





Highlights

With elastic bands / With a pair of 2kg dumbbells



SIT UP BENCH 80





02941

-  Max user weight 100kg
-  Equipment size (LxWxH) .. 1370x330x670mm
-  Box size (LxWxH) 1230x130x345mm
-  Gross/Net weight 8/6,9kg























ABDOMINAL AB CRUNCH



03250

-  Max user weight 100kg
-  Equipment size (LxWxH) .. 850x450x1200mm
-  Box size (LxWxH) 1230x130x345mm
-  Gross/Net weight 11,5/10,5



HOME GYM

	 Weight Stack	 Main tube	 Max user weight	 Equipment size (LxWxH)	 Box size (LxWxH)	 Gross/Net weight	 Origin port
 2100MS	(2x) 100kg	80x40x2.0mm	150kg	1610x 990x 2200mm	2250x1820x200mm 2250x1820x200mm (9x) 390x200x180mm	420/343kg	Nantong
 2100M	100kg	80x40 - T2.5mm	150kg	1650x 1645x 2115mm	1170x930x140mm 1955x275x175mm (6x) 400x220x140mm	187/174kg	Nantong
 1600MB	65kg	50x50 - T2.0mm	120kg	2140x 2290x 2115mm	1955x225x175mm 1360x450x215mm 1045x450x220mm 1010x300x300mm 405x285x10mm 395x255x10mm	151/143.5kg	Nantong
 1200M	65kg	70x30 - T1.5mm	120kg	1765x 1800x 2090mm	1960x405x150mm 1300x150x95mm 1265x165x225mm 390x210x230mm 390x210x275mm	127.5/121.5kg	Nantong
 490M	100kg	80x40x2.0mm	150kg	1660x 990x 2115mm	1170x930x175mm 1955x275x175mm (4x) 400x220x140mm	118/110kg	Nantong
 480M	65kg	70x50 - T1.5mm	120kg	1490x 1100x 2100mm	1770x510x250mm 385x195x235mm 385x195x275mm	133.6/128kg	Nantong
 470M	65kg	80x40 - T1.5mm	150kg	1600x 975x 2115mm	1170x930x175mm 1955x275x175mm (4x) 390x200x135mm	118/110kg	Nantong
 440M	50kg	ø60 - T1.5mm	120kg	1685x 1080x 2210mm	1195x635x205 mm 1840x480x210mm 400x200x220mm 400x200x280mm	97/93kg	Nantong
 420M	50kg	50x50 - T1.5mm	120kg	1220x 1100x 2050mm	1920x430x170mm 385x195x235mm 385x195x275mm	96/91.4kg	Nantong
 380M	45kg	38x38 - T1.5mm	120kg	1200x 1060x 2040mm	1890x420x170mm 385x195x275mm 385x195x235mm	86/81.4kg	Nantong
 90M	-	50x50 - T1.5mm	120kg	1220x 1080x 1905mm	1670x340x135mm 830x405x130mm	23.5/22kg	Nantong
 WEIGHT BENCH WITH VKR 200M	-	80x40 - T2.0mm	120kg	2410x 1200x 2055mm	2090x550x130mm 1110x520x210mm	74/70kg	Nantong
 WEIGHT BENCH WITH VKR 100M	-	50x50 - T2.0mm	120kg	2230x 1070x 2050mm	1800x460x210mm 2110x390x100mm	68/64kg	Nantong



ARM WEIGHT BENCH 170



ARM WEIGHT BENCH 150



ARM WEIGHT BENCH 100



 Max user weight 120kg
 Equipment size (LxWxH) .. 1420x1250x1110mm
 Box size (LxWxH) 1170x420x150mm
 Gross/Net weight 19/17kg



120kg
 1420x1250x1110mm
 1170x420x150mm
 19/17kg



























120kg
 1420x1250x1110mm
 1170x420x150mm
 19/17kg















TREADMILLS



	 DC Motor	 Speed	 Incline	 Exercise surface	 Belt size	 Deck	 Monitor	 Functions	 Max user weight	 Equipment size (LxWxH)	 Box size (LxWxH)	 Gross Net weight	 Origin port
	2.5HP	1-20km/h	Automatic 15 levels	1450x510mm	3040x510 - T1.8mm	HDF (High Density Fiber) - 1345x708 - T21mm	LCD with 36 pre-set programs	Speed, time, incline, distance, calories, pulse and body fat	140kg	1987x 910x 1376mm	2130x 970x 375mm	117/105kg	Guangzhou
	2HP	1-18km/h	Automatic 15 levels	1400x500mm	2900x500 - T1.6mm	HDF (High Density Fiber) - 1220x630 - T18mm	TFT with 36 pre-set programs	Speed, time, incline, distance, calories, pulse and body fat	130kg	860x 1740x 1400mm	890x 1910x 375mm	104/95kg	Guangzhou
	2HP	1-18km/h	Automatic 15 levels	1400x480mm	2900x480 - T1.6mm	HDF (High Density Fiber) - 1220x620 - T18mm	LCD with 36 pre-set programs	Speed, time, incline, distance, calories, pulse and body fat	130kg	1824x 830x 1339mm	1095x 890x 330mm	95/85kg	Guangzhou
	2HP	1-16km/h	Automatic 12 levels	1335x450mm	2750x450 - T1.6mm	HDF (High Density Fiber) - 1250x684 - T18mm	LCD with 36 pre-set programs	Speed, time, incline, distance, calories, pulse and body fat	130kg	1681x 758x 1615mm	1860x 820x 295mm	75/67kg	Guangzhou
	17.5HP	1-16km/h	Automatic 12 levels	1330x450mm	2760x450 - T1.4mm	HDF (High Density Fiber) - 1145x684 - T18mm	LCD with 40 pre-set programs	Speed, time, incline, distance, calories, pulse and body fat	120kg	750x 1670x 1360mm	795x 1760x 370mm	73/65kg	Guangzhou
	1.5HP	1-16km/h	2 levels or incline 12 levels	1200x420mm	2555x420 - T1.4mm	MDF (Medium Density Fiber) - 1145x684 - T18mm	LCD with 16 pre-set programs	Speed, time, incline, distance, calories, pulse and body fat	120kg	1590x 715x 1230mm	1710x 750x 285mm	47.2/40kg	Ningbo
	1.5HP	1-13km/h	Manual 2 levels	1220x420mm	2555x420 - T1.4mm	MDF (Medium Density Fiber) - 1145x684 - T18mm	LCD with 12 pre-set programs	Speed, time, incline, distance, calories, pulse and body fat	120kg	1590x 715x 1230mm	1685x 770x 295mm	62/55kg	Guangzhou
	2HP	1-13km/h	Fixed 0.5% and 2.5%	1280x400mm	2680x400 - T1.4mm	MDF (Medium Density Fiber) - 1180x576 - T15mm	LCD with 12 pre-set programs	Speed, time, distance, calories and pulse	120kg	1690x 750x 1300mm	1710x 750x 285mm	47.2/40kg	Ningbo
	1.5HP	1-12km/h	Manual 3 levels	1200x400mm	2580x400 - T1.6mm	MDF (Medium Density Fiber) - 1130x500 - T15mm	LCD with 12 pre-set programs	Speed, time, distance and calories	120kg	1560x 690x 1240mm	1630x 730x 280mm	49/44kg	Ningbo
	1.5HP	1-12km/h	Manual 2 levels	1100x400mm	2255x400 - T1.4mm	MDF (Medium Density Fiber) - 1000x485 - T12mm	LCD with 12 pre-set programs	Speed, time, distance and calories	110kg	1380x 660x 1240mm	1520x 720x 290mm	38/32kg	Ningbo
	1HP	1-12km/h	Fixed	1000x380mm	2317x380 - T1.5mm	MDF (Medium Density Fiber) 980x500 T12mm	LCD with 12 pre-set programs	Speed, time, distance, calories and pulse	120kg	1385x 630x 1176mm	1350x 640x 235mm	29/25kg	Ningbo
	1.5HP	0.8-12km/h	Manual 3 levels	1090x395mm	2255x400 - T1.4mm	MDF (Medium Density Fiber) - 1000x485 - T12mm	LCD with 12 pre-set programs	Speed, time, distance, calories and pulse	110kg	1490x 640x 1300mm	1420x 270x 685mm	31/28kg	Ningbo
	1HP	1-10km/h	Manual 3 levels	1000x360mm	2115x360 - T1.4mm	MDF (Medium Density Fiber) - 892x442 - T12mm	LCD with 12 pre-set programs	Speed, time, distance and calories	110kg	1290x 620x 1240mm	1360x 650x 280mm	37/36kg	Ningbo
	1HP	1-12km/h	No	900x380mm	2075x380 - T1.5mm	MDF (Medium Density Fiber) - 880x500 - T12mm	LCD with 12 pre-set programs	Speed, time, distance, calories and pulse	120kg	1235x 630x 1280mm	1250x 640x 235mm	28/24kg	Ningbo
	1HP	1-10km/h	Fixed	960x360mm	2075x360 - T1.4mm	MDF (Medium Density Fiber) - 880x425 - T12mm	LED with 3 pre-set programs	Speed, time, distance and calories	110kg	1250x 615x 1150mm	1300x 645x 270mm	26/23kg	Ningbo
	1HP	0.5-10km/h	Manual 3 levels	1000x360 mm	2120x340 - T1.4mm	HDF (High Density Fiber) - 892x442 - T12mm	LCD with 6 pre-set programs	Speed, time, distance and calories	110kg	1020x 500x 1120 mm	1290x 265x 640mm	27.2/24.3kg	Ningbo
	0.5HP	0.5-6km/h	No	1200x400mm	2520x450 - T1.4mm	MDF (Medium Density Fiber) - 1120x560 - T12mm	LED with 12 pre-set programs	Speed, time and distance	110kg	457x 610x 1170mm	1470x 685x 275mm	36/31kg	Ningbo

ELLIPTICALS AND BICYCLES



	 Flywheel	 Functions	 Resistance	 Transmission	 Max user weight	 Equipment size (LxWxH)	 Box size (LxWxH)	 Gross/Net weight	 Origin port
 650EFD	8kg	Time, distance, speed, pulse, calories, RPM, temperature, body fat and recovery	15 levels	Automatic	150kg	2040x 670x 1730mm	1495x 435x 810mm	78/68kg	Xiamen
 600EFD	5kg	Time, distance, speed, pulse, calories, RPM, recovery, ODO and watt	8 levels	Manual	100kg	1440x 620x 1700mm	1050x 450x 690mm	49/43.5kg	Xiamen
 570E	6kg	Time, distance, speed, pulse and calories	8 levels	Manual	130kg	1650x 660x 1530mm	1400x 370x 580mm	52.5/45.5kg	Xiamen
 570BV	6kg	Time, distance, speed, pulse and calories	8 levels	Manual	130kg	1425x 520x 1090mm	950x 320x 650mm	39/35kg	Xiamen
 500EFD	5kg	Time, distance, speed, pulse and calories	8 levels	Manual	130kg	1655x 680x 1730mm	1100x 380x 680mm	53/47kg	Xiamen
 500EA	5kg	Time, distance, speed, pulse and calories	8 levels	Manual	110kg	1550x 620x 1290mm	1110x 370x 585mm	42/36.9kg	Xiamen
 500E	5kg	Time, distance, speed, pulse and calories	8 levels	Manual	110kg	1550x 620x 1290mm	1110x 370x 585mm	42/36.9kg	Xiamen
 500BH	5kg	Time, distance, speed, pulse and calories	8 levels	Manual	110kg	1135x 665x 1455mm	900x 380x 650mm	38.3/33.6kg	Xiamen
 500BV	5kg	Time, distance, speed, pulse and calories	8 levels	Manual	110kg	1325x 520x 970mm	840x 300x 630mm	30.7/27.8kg	Xiamen
 290EA	4kg	Time, distance, speed, pulse and calories	8 levels	Manual	110kg	1550x 620x 1290mm	1110x 370x 610mm	43.3/38.8kg	Xiamen
 290EFD	5kg	Time, distance, speed, pulse and calories	8 levels	Manual	110kg	1655x 680x 1730mm	1110x 370x 610mm	53/47kg	Xiamen
 290E	4kg	Time, distance, speed, pulse and calories	8 levels	Manual	110kg	1290x 620x 1550mm	1110x 370x 550mm	40.3/35.5kg	Xiamen
 290BV	4kg	Time, distance, speed, pulse and calories	8 levels	Manual	110kg	960x 520x 1320mm	920x 285x 590mm	29.3/26.4kg	Xiamen
 290BH	4kg	Time, distance, speed, pulse and calories	8 levels	Manual	110kg	1455x 665x 1135mm	900x 380x 650mm	36.6/32.5kg	Xiamen
 230EA	4kg	Time, distance, speed, pulse and calories	8 levels	Manual	110kg	1100x 580x 1600mm	1010x 280x 565mm	33.5/30kg	Xiamen
 230E	4kg	Time, distance, speed, pulse and calories	8 levels	Manual	100kg	1550x 500x 2100mm	1010x 280x 525mm	27/25kg	Xiamen
 230BV	4kg	Time, distance, speed, pulse and calories	8 levels	Manual	100kg	900x 520x 1250mm	700x 280x 560mm	22.5kg/20kg	Xiamen
 230BH	4kg	Time, distance, speed, pulse and calories	8 levels	Manual	100kg	1400x 570x 920mm	800x 320x 580mm	25/22.5kg	Xiamen

	 Flywheel	 Functions	 Resistance	 Transmission	 Max user weight	 Equipment size (LxWxH)	 Box size (LxWxH)	 Gross/Net weight	 Origin port
	2kg	Time, distance, speed, pulse and calories	Belt tension control	Manual	100kg	980x225x700mm 660x425x15mm 310x90x470mm 365x225x560mm	1495x 435x 810mm	59.4/55.2kg	Xiamen
	7kg	Time, distance, speed, pulse and calories	Friction control	Manual	100kg	2100x 500x 1550mm	980x225x700mm 530x330x240mm	53.5/49.5kg	Xiamen
	7kg	Time, distance, speed, pulse and calories	Friction control	Manual	100kg	1750x 650x 1530mm	(2) 950x 235x 680mm	48/42kg	Xiamen
	Fan wheel	Time, distance, speed, pulse and calories	Belt tension control	Manual	110kg	1500x 640x 1450mm	980x225x700mm 530x330x240mm	44.5/41.5kg	Xiamen
	7kg	Time, distance, speed, pulse and calories	8 levels	Manual	130kg	1100x 500x 1550mm	980x 225x 780mm	36.5/34.5kg	Xiamen
	Fan wheel	Time, distance, speed, pulse and calories	Belt tension control	Manual	110kg	1500x 640x 1450mm	990x220x710mm 270x70x470mm	37/34kg	Xiamen
	7kg	Time, distance, speed and calories	Friction control	Manual	100kg	860x 480x 1480mm	925x 230x 665mm	31/28.5kg	Xiamen
	Fan wheel	Time, distance, speed and calories	Belt tension control	Manual	100kg	1500x 640x 1100mm	980x 220x 665mm	28/26kg	Xiamen
	Fan wheel	Time, distance, speed and calories	Belt tension control	Manual	100kg	1500x 640x 1450mm	980x 220x 665mm	27/25kg	Xiamen
	Fan wheel	Time, distance, speed, pulse and calories	Belt tension control	Manual	100kg	1014x 529x 1135mm	890x 590x 205mm	19.5/17.5kg	Xiamen
	Fan wheel	Time, distance, speed and calories	Belt tension control	Manual	100kg	1060x 500x 1170mm	910x 190x 610mm	18/16.5kg	Xiamen
	7kg	Time, distance, speed and calories	8 levels	Manual	100kg	1070x 880x 1300mm	1320x 530x 230mm	26.5/23.5kg	Xiamen
	2kg	Time, distance, speed and calories	8 levels	Manual	100kg	1100x 310x 1500mm	1170x 400x 220mm	21/19kg	Xiamen
	2kg	Time, distance, speed, pulse and calories	8 levels	Manual	110kg	950x 540x 1140mm	1185x 395x 220mm	18.5/16.5kg	Xiamen
	2kg	Time, distance, speed and calories	8 levels	Manual	100kg	850x 400x 1130mm	1160x 395x 220mm	16/14kg	Xiamen



100MB



STEPPER 100SP










STEPPER 80SP



STEPPER 50SP



















	Functions	Time, distance, speed and calories
	Resistance	Tension Control
	Transmission	Manual
	Max user weight	100kg
	Equipment size (LxWxH) ..	500x390x380mm
	Box size (LxWxH)	390x180x350mm
	Gross/Net weight	3/2.4kg

Time, count reps/min and calories
No
-
100kg
865x440x1180mm
570x430x230mm
19/17.5kg

Time, distance, speed and calories
No
-
100kg
350x235x400mm
410x265x460mm
10/9kg

Time, distance, speed and calories
Tension Control
-
100kg
1100x310x150mm
310x400x200mm
8.5/7.5kg

SPINNING BIKES

	 Flywheel	 Monitor	 Functions	 Resistance	 Transmission	 Max user weight	 Equipment size (LxWxH)	 Box size (LxWxH)	 Gross/Net weight	 Origin port
 2750BS	20kg	Yes	Scan, time, speed, distance, calories, pulse, RPM and THR pulse	Friction control	Belt	150kg	1260x550x1220mm	1060x215x860mm	61.5/56.5kg	Xiamen
 2600BS	20kg	Yes	Scan, time, speed, distance, calories, pulse, RPM and THR pulse	Friction control	Belt	135kg	1260x550x1220mm	1100x230x865mm	52/47kg	Xiamen
 2100BS	18kg	Yes	Scan, time, speed, distance and calories	Friction control	Chain	125kg	1270x510x1120mm	1080x195x830mm	46/41kg	Xiamen
 700BS	13kg	Yes	Scan, time, speed, distance and calories	Friction control	Chain	125kg	1270x510x1120mm	1080x195x830mm	37.5/33kg	Xiamen
 550BS	6kg	Yes	Scan, time, speed, distance and calories	Friction control	Belt	125kg	1270x510x1120mm	1025x195x830mm	34/30kg	Xiamen
 400BS	13kg	No	-	Friction control	Chain	125kg	1147x508x1130mm	1080x195x830mm	37.5/33kg	Xiamen


BENCHES AND OTHERS

	 Max user weight	 Equipment size (LxWxH)	 Box size (LxWxH)	 Gross/Net weight	 Origin port
 CURVE SIT UP BENCH 100	100kg	1370x600x680mm	1200x215x340mm	13.6/11.8kg	Xiamen
 SIT UP BENCH 100	100kg	1370x330x670mm	1230x130x345mm	8/6.9kg	Xiamen
 INVERSION TABLE 100IT	110kg	1230x700x1490mm	1300x565x130mm	26.6/23.6kg	Zhejiang
 ABDOMINAL 600AB	100kg	1270x670x1260mm	1275x380x380mm	25/23kg	Ningbo
 ABDOMINAL 300AB	100kg	1100x200x200mm	1100x200x200mm	12/11kg	Zhejiang
 ABDOMINAL 200AB	100kg	850x450x1200mm	1230x130x345mm	11.5/10.5kg	Xiamen
 ABDOMINAL 100AB	100kg	1140x550x750mm	1050x140x350mm	11/10kg	Xiamen
 ABDOMINAL 50AB	100kg	1120x540x750mm	980x375x165mm	12/10kg	Xiamen
 ABDOMINAL 5AB	100kg	590x600x660mm	640x220x360mm (2 units per carton)	15/14.5kg	Zhejiang
 ROWER 100RM	120kg	1975x520x445mm	1070x280x465mm	27/24kg	Xiamen


TREADMILLS
























	 DC Motor	 Speed	 Incline	 Exercise surface	 Belt size	 Deck	 Monitor	 Functions	 Max user weight	 Equipment size (LxWxH)	 Box size (LxWxH)	 Gross Net weight	 Origin port
 TP1830	1.5HP	1-20km/h	Manual 2 levels	1200x420mm	2450x410 - T1.4mm	DF (Medium Density Fiber) 1100x564 - T18mm	MDisplay LCD with 12 pre-set programs	Speed, time, distance, calories, pulse and body fat	120kg	1545x 740x 1245mm	1650x 770x 305mm	57/49kg	Ningbo
 TP930	1.25HP	0.8-12km/h	Manual 3 levels	1200x450mm	2550x430 - T1.6mm	MDF (Medium Density Fiber) 1127x596 - T12mm	Display LCD with 12 pre-set programs	Speed, time, distance, calories, pulse and body fat	100kg	1540x 720x 1290mm	1585x 750x 260mm	52/46kg	Xiamen
 TP920	1.25HP	0.8-12km/h	Manual 3 levels	1200x430mm	2550x430 - T1.6mm	MDF (Medium Density Fiber) 1127x596 - T12mm	Display LCD with 12 pre-set programs	Speed, time, distance, calories, pulse and body fat	100kg	1538x 710x 1243mm	1585x 750x 260mm	51/45kg	Xiamen
 TP910	1.25HP	0.8-12km/h	No	1200x400mm	2550x400 - T1.6mm	MDF (Medium Density Fiber) 1180x576 - T15mm	Display LCD with 12 pre-set programs	Speed, time, distance, calories, pulse and body fat	100kg	1425x 765x 1156mm	1510x 690x 195mm	43/48kg	Xiamen
 TP850	2HP	1-13km/h	Manual 2 levels	1280x400mm	2680x400 - T1.4mm	MDF (Medium Density Fiber) 1180x576 - T15mm	Display LCD with 12 pre-set programs	Speed, time, distance, calories and pulse	120kg	1690x 750x 1300mm	1710x 750x 285mm	47.2/40kg	Ningbo
 TP845	1.5HP	1-12km/h	Manual 2 levels	1200x420mm	2555x420 - T1.4mm	MDF (Medium Density Fiber) 1145x584 - T18mm	Display LCD with 12 pre-set programs	Speed, time, distance, calories, pulse and body fat	120kg	1590x 755x 1230mm	1710x 750x 295mm	47.2/40kg	Ningbo
 TP840	1HP	1-13km/h	Manual 2 levels	1200x420mm	2555x420 - T1.4mm	MDF (Medium Density Fiber) 1145x548 - T18mm	Display LCD with 12 pre-set programs	Speed, time, distance, calories, pulse and body fat	120kg	730x 1590x 1260mm	770x 1740x 325mm	64/58kg	Guangzhou
 TP820	1.5HP	1-12km/h	Manual 2 levels	1200x400mm	2580x400 - T1.6mm	MDF (Medium Density Fiber) 1137x595 - T15mm	Display LCD with 12 pre-set programs	Speed, time, distance, calories and pulse	120kg	1650x 730x 1420mm	1690x 760x 360mm	60/53kg	Ningbo
 TP810	1.5HP	0.8-12km/h	Manual 3 levels	1090x395mm	2255x400 - T1.4mm	MDF (Medium Density Fiber) 1000x485 - T12mm	Display LCD with 12 pre-set programs	Speed, time, distance, calories and pulse	110kg	1490x 640x 1300mm	1420x 270x 685mm	31/28kg	Ningbo
 TP730	1HP	1-10km/h	No	960x360mm	2075x360 - T1.4mm	MDF (Medium Density Fiber) 880x425 - T12mm	Display LCD with 3 pre-set programs	Speed, time, distance, calories and pulse	110kg	1250x 615x 1150mm	1300x 645x 270mm	26/23kg	Ningbo
 ELETRONIC 15	1HP	1-10km/h	Manual 3 levels	1000x360mm	2115x360 - T1.4mm	MDF (Medium Density Fiber) 892x442 - T12mm	Display LCD with 12 pre-set programs	Speed, time, distance, calories and pulse	110kg	1290x 620x 1240mm	1360x 650x 280mm	37/38kg	Ningbo
 ELETRONIC 12	0.75HP	1-8km/h	No	1000x320mm	2115x325 T1.4mm	MDF (Medium Density Fiber) 890x395 - T12mm	Display LCD with 3 pre-set programs	Speed, time, distance and calories	100kg	1200x 580x 1170mm	1310x 280x 610mm	24/22kg	Ningbo
 MAGNETIC T100	No	Body resistance	Manual 3 levels	1100x330mm	2320x330 - T1.2mm	MDF (Medium Density Fiber) 1050x470 - T12mm	Display LCD with 3 pre-set programs	Speed, time, distance, calories and pulse	100kg	1480x 685x 1340mm	1380x 580x 400mm	28.5/26.5kg	Ningbo


















ELLIPTICALS AND BICYCLES



	 Flywheel	 Functions	 Resistance	 Transmission	 Max user weight	 Equipment size (LxWxH)	 Box size (LxWxH)	 Gross/Net weight	 Origin port
 ER210	4kg	Time, distance, calories and pulse	8 levels	Manual	110kg	1100x580x1600mm	1010x280x565mm	33.5/30kg	Xiamen
 E210	4kg	Time, distance, calories and pulse	8 levels	Manual	100kg	1100x580x1600mm	1010x280x525mm	27/25kg	Xiamen
 BV210	4kg	Time, distance, calories and pulse	8 levels	Manual	100kg	900x520x1250mm	700x280x560mm	22.5/20kg	Xiamen
 BH210	4kg	Time, distance, calories and pulse	8 levels	Manual	100kg	1400x570x920mm	800x320x580mm	25/22.5kg	Xiamen
 E180	3kg	Time, distance, calories and pulse	8 levels	Manual	100kg	900x600x1550mm	820x250x510mm	24.5/22.5kg	Xiamen
 BV180	3kg	Time, distance, calories and pulse	8 levels	Manual	100kg	810x440x1150mm	595x265x475mm	16/14kg	Xiamen
 BH180	3kg	Time, distance, calories and pulse	8 levels	Manual	100kg	1250x580x800mm	800x270x540mm	22/20kg	Xiamen
 E8	Fan wheel	Time, distance, calories and pulse	Belt tension control	Manual	110kg	980x225x700mm	530x330x240mm	44.5/41.5kg	Xiamen
 E5	Fan wheel	Time, distance, calories and pulse	Belt tension control	Manual	110kg	1500x640x1450mm	270x70x470mm	37/34kg	Xiamen
 E4	Fan wheel	Time, distance and calories	Belt tension control	Manual	100kg	1500x640x1100mm	980x220x665mm	28/26kg	Xiamen
 E3	Fan wheel	Time, distance and calories	Belt tension control	Manual	100kg	1500x640x1450mm	980x220x665mm	27/25kg	Xiamen
 BV160	No	Time, distance and calories	Belt tension control	Manual	100kg	840x440x1200mm	590x250x470mm	17.4/15.6kg	Xiamen

SPINNING BIKES



	 Flywheel	 Monitor	 Functions	 Resistance	 Transmission	 Max user weight	 Equipment size (LxWxH)	 Box size (LxWxH)	 Gross/Net weight	 Origin port
 BSL700	18kg	Yes	Time, speed, distance, calories and pulse	Manual	Chain	125kg	1200x550x1187mm	1100x230x865mm	50/45kg	Xiamen
 BS350	13kg	Yes	Time, speed, distance, calories and pulse	Manual	Chain	125kg	1270x510x1120mm	1080x195x830mm	39/34.5kg	Xiamen
 BS500	13kg	No	-	Manual	Chain	125kg	1147x508x1130mm	1080x195x830mm	37.5/33kg	Xiamen
 BS280	10kg	Yes	Time, speed, distance and calories	Manual	Belt	110kg	1106x645x1150mm	910x195x780mm	30.5/26.5kg	Xiamen
 BA100	Fan wheel	Yes	Time, speed, distance, calories and pulse	Manual	Belt tension control	100kg	1014x590x1132mm	890x590x205mm	19.5/17.5kg	Xiamen

HOME GYM



M175



M170



M130



M90

	Weight Stack	Main tube	Max user weight	Equipment size (LxWxH)	Box size (LxWxH)	Gross/Net weight	Origin port
M175	72kg	50x50 - T1.5mm	150kg	1980x 450x 230mm	385x195x260mm 395x195x220mm	144/138kg	Xiamen
M170	65kg	80x40 - T1.5mm	150kg	1600x 975x 215mm	1170x930x175mm 1955x275x175mm (4) 400x220x140mm	118/110kg	Nantong
M130	45kg	50x50 - T1.5mm	150kg	1650x 1100x 2050mm	190x40x185mm 40x19x33mm 370x190x230mm	88.6/92.3kg	Xiamen
M90	45kg	38x38 - T1.5mm	120kg	1200x 1060x 2040mm	1890x420x170mm 385x195x275mm 385x195x235mm	85.3/80.7kg	Xiamen



BENCHES



M40



WEIGHT BENCH WITH VKR



ARM WEIGHT BENCH 80



CURVE SIT UP BENCH 80



SIT UP BENCH 80



ABDOMINAL AB CRUNCH

	Max user weight	Equipment size (LxWxH)	Box size (LxWxH)	Gross/Net weight	Origin port
M40	120kg	1220x 1080x 1905mm	1670x340x135mm 830x405x130mm	23.5/22kg	Nantong
WEIGHT BENCH WITH VKR	120kg	2230x 1070x 2050mm	1800x460x210mm 2110x390x100mm	68/64kg	Nantong
ARM WEIGHT BENCH 80	120kg	1420x 1250x 1110mm	1170x420x150mm	19/17kg	Xiamen
CURVE SIT UP BENCH 80	100kg	1370x 600x 680mm	1200x215x340mm	13.6/11.8kg	Xiamen
SIT UP BENCH 80	100kg	1370x 330x 670mm	1230x130x345mm	8/6.9kg	Xiamen
ABDOMINAL AB CRUNCH	100kg	850x 450x 1200mm	1230x130x345mm	11.5/10.5kg	Xiamen





Athletic

BEST FOR LIFE

2020

WWW.ATHLETICBESTFORLIFE.COM



Athleti
Prepara voce